

## Accessories CB-R 200/7.5 BLACK

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Similar to illustration

Cable ties are characterised by maximum tying force and a long life. And steel cable ties can provide a permanent fixing under extreme conditions such as high temperatures or severe chemical effects.

### General ordering data

Type	CB-R 200/7.5 BLACK
Order No.	<a href="#">1059210000</a>
Version	Cable ties, Height x width: 200 x 7.5 mm, Polyamide 66, 220 N
GTIN (EAN)	4032248806157
Qty.	100 Stück

## Accessories CB-R 200/7.5 BLACK

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technische Daten

### Dimensions and weights

Width	7,5 mm	Width (inches)	0,295 inch
Height	200 mm	Height (inches)	7,874 inch
Depth	2 mm	Depth (inches)	0,079 inch
Net weight	1,09 g		

### Installation materials

Cable diameter, max.	40 mm	Material	Polyamide 66
Operating temperature range, max.	85 °C	Operating temperature range, min.	-40 °C
Tensile strength	220 N	UL 94 flammability rating	V-2

### Classifications

ETIM 6.0	EC000046	ETIM 7.0	EC000046
eClass 9.0	27-14-07-02	eClass 9.1	27-14-07-02
eClass 10.0	27-14-07-02	UNSPSC	39-12-17-03

### Approvals

ROHS	Conform
------	---------

### Downloads

Approval/Certificate/Document of Conformity	<a href="#">DE PI830000_160627_001</a>
Engineering Data	<a href="#">EPLAN_WSCAD</a>

**Datenblatt**

**Accessories**  
**CB-R 200/7.5 BLACK**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Zeichnungen**

**Drawing**

