

Accessories
CB-R 250/7.5 BLACK**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Cable ties are characterised by maximum tying force and a long life. And steel cable ties can provide a permanent fixing under extreme conditions such as high temperatures or severe chemical effects.

General ordering data

Type	CB-R 250/7.5 BLACK
Order No.	1059230000
Version	Cable ties, Height x width: 250 x 7.5 mm, Polyamide 66, 220 N
GTIN (EAN)	4032248806171
Qty.	100 Stück

Accessories CB-R 250/7.5 BLACK

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Width	7,5 mm	Width (inches)	0,295 inch
Height	250 mm	Height (inches)	9,842 inch
Depth	2 mm	Depth (inches)	0,079 inch
Net weight	2,56 g		

Installation materials

Cable diameter, max.	70 mm	Material	Polyamide 66
Operating temperature range, max.	85 °C	Operating temperature range, min.	-40 °C
Tensile strength	220 N	UL 94 flammability rating	V-2

Classifications

ETIM 6.0	EC000046	ETIM 7.0	EC000046
eClass 9.0	27-14-07-02	eClass 9.1	27-14-07-02
eClass 10.0	27-14-07-02	UNSPSC	39-12-17-03

Approvals

ROHS	Conform
------	---------

Downloads

Approval/Certificate/Document of Conformity	DE PI830000_160627_001
Engineering Data	EPLAN_WSCAD

**Accessories
CB-R 250/7.5 BLACK**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen**Drawing**