

LED line LITE

Code: 216761

EAN: 5905378216761

LED tube NANO T8 G13 4000K 18W
1820lm 230V 270° 120cm PC LITE



Nano Fluorescent Lamp has been designed with durability, safety, and user convenience in mind. Its housing is made of durable plastic, which means it does not break during transport or installation. The absence of glass elements further minimizes the risk of damage and increases safety, especially in areas prone to impacts, such as warehouses, workshops, schools, or garages.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	F	Frequency of the supply voltage	50/60Hz
Warranty	2	Lamp's type	T8
Power	• 18 W	Beam angle	270 °
Voltage	• 220-240 V AC	LED type	SMD2835
Correlated colour temperature	• 4000 K	LED quantity	72
Colour of the light	White	Number of on/off cycles	50000
Colour rendering index Ra	80	Lamp's warm-up time to 60%	1
IP protection rating	IP20	For indoor use	Inside
Luminous efficacy	100	Length	1200 mm
Luminous flux	1820 lm	Weight	0,08 kg
The lumen maintenance factor	96	Diameter	28 mm
Lifetime L70B50	18 000 h	Material	Plastic
Survival factor	0.9	Material (housing)	Polycarbonate
Colour consistency in McAdam ellipses	≤6		

LED line LITE


Code: 216761

EAN: 5905378216761


LED tube NANO T8 G13 4000K 18W

1820lm 230V 270° 120cm PC LITE


Technical drawing



Light distribution



Additional product photos



Logistics data

Single packaging

Quantity	1
Width	
Height	
Length	
Weight	0,1 kg

Bulk packaging

Quantity	25
Width	1290 mm
Height	175 mm
Length	170 mm
Volume	
Weight	2,65 kg

Europallet

Quantity	900
Height	1290 mm
Quantity in layer	
Number of layers	
Bulk quantity	600
Weight	121 kg

LED line LITE

Code: 216761

EAN: 5905378216761

**LED tube NANO T8 G13 4000K 18W
1820lm 230V 270° 120cm PC LITE**

Example application

