

DongSenLED

P: 0086.755.23430751 • F: 0086.755.2343075


<u>www.dongsenled.com</u>

• info@dongsenled.com

1.4 Watt Small Size Edge Light LED Module

Picture:





Feature:

1. Best for over 10-20 cm depth Single and Double side Light box.

2. Unique dual angle optical lens design, 15*45 degree, Optimized for use in Double Sided Light box lighting

- 3. Use EMC light source, low lumens depreciation, fast heat dissipation, high efficiency.
- 4. PCB aluminum plate with high quality aluminum, good heat sinking and long lifespan.
- 5. Ensure the product stable performance, long life, good brightness uniformity.
- 6. CE&ROHS certification, 3 years warranty.

DongSenLED


DongSenLED

P: 0086.755.23430751 • F: 0086.755.2343075 • www.dongsenled.com • info@dongsenled.com

Specification:

Parameter	Description
Voltage (V)	DC12V
Power (W)	1.4 W/pc
Available Color	Warm White/ Pure White/ Cool White
Color Temperature Wave length (nm)	2700-3300k/6000-6500k/ 9000-12000k
Lumen	120-130lm
Viewing angle	15*45° degree
LED Qty	1 led
LED Type	EMC 2835 or 3030 SMD LED
Chip Brand	Epistar Chip
Drive Method	Constant Current Drive
Cuttable Unit	1 LED as a Unit can be cuttable
Max Connection	30 pcs per Chain
Dimension	45*26*11.8 mm
IP Rate	IP 67
Cover	Milk White ABS with Optical Lens
Working Temperature	-25°C~60°C
Span life	50,000h
Certification	CE&ROHS
Part No.	MH-1WB

Light Distribution Curve:



DongSenLED


DongSenLED

P: 0086.755.23430751 • F: 0086.755.2343075 • <u>www.dongsenled.com</u> • <u>info@dongsenled.com</u>

Installation instructions:

Installed on the box bottom, back glue scheduled, fixed with screw.

Cascade can cut, 1pcs modules can be cut.



Application:

- 1. Best for 10-20cm thickness of light box
- 2. Shopping malls, airport, subway, bus station and other places of light box