	SAFET	Y DATA SHEET ZIS TermoPasty
	according to Regulation (E	EC) No 1907/2006 (REACH) as amended
		remote controllers - glue
	on date 01. October 2018	
	on date ION 1: Identification of the substance/mixtu	Version 1.0
.1.	Product identification of the substance/mixtu	Rubbers pads for remote controllers - glue
	Substance / mixture	mixture
L.2.	Relevant identified uses of the substance of	
	mixture's intended use	Glue.
	Disapproved uses of mixture	The product should not be used in ways other then those referred in Section 1.
.3.	Details of the supplier of the safety data sh	
	Distributor	
	Name or trade name	AG TermoPasty Grzegorz Gąsowski
	Address	Kolejowa 33 E, Sokoły, 18-218
	Identification number (ID)	Poland
	Identification number (ID)	200133730 9661767714
	VAT Reg No Phone	862741342
	E-mail	biuro@termopasty.pl
	Web address	www.termopasty.pl
	Competent person responsible for the safe	
	Name	AG TermoPasty Grzegorz Gąsowski
	E-mail	biuro@termopasty.pl
L.4.	Emergency telephone number	
	National Health Service (NHS) 111	
	National poisoning information centre Scotland,	NHS 24: 111
	ION 2: Hazards identification Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous.	with Regulation (EC) No 1272/2008
	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315	with Regulation (EC) No 1272/2008
	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous.	
	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements	ents is given in the section 16. alth and the environment
SECT 2.1. 2.2.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem. Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statem Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anhydride	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anhydride acetic acid derivative	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anhydride acetic acid derivative Hazard statements	ents is given in the section 16. alth and the environment
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anhydride acetic acid derivative Hazard statements H315 Causes skin irritation.	ents is given in the section 16. alth and the environment ion.
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard statemed Most serious adverse effects on human heat Causes serious eye damage. Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anid derivative Hazard statements H315 Causes skin irritation. H318 Causes skin irritation.	ents is given in the section 16. alth and the environment ion.
2.1.	Substance or mixture classification Classification of the mixture in accordance The mixture is classified as dangerous. Skin Irrit. 2, H315 Eye Dam. 1, H318 Full text of all classifications and hazard stateme Most serious adverse effects on human hea Causes serious eye damage. Causes skin irritati Label elements Hazard pictogram Signal word Danger Hazardous substances Triacetoxyethylsilane ethylacetoxysilane oligomers acetic anhydride acetic acid derivative Hazard statements H315 Causes skin irritation.	ents is given in the section 16. alth and the environment ion. ge.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date	01. October 2018
Revision date	Version 1.0
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
FJUZTFJU4	Take on containinated clothing and wash it before reuse.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
WE: 231-545-3 Registration number: 01-211379499-14- XXXx	silicon dioxide	<9		
CAS: 17689-77-9 EC: 241-677-4 Registration number: 01-2119881778-15- XXXX	Triacetoxyethylsilane	<3,2	Acute Tox. 4, H302 Skin Corr. 1B, H314	
Index: 607-008-00-9 CAS: 108-24-7 EC: 203-564-8	acetic anhydride	<0,2	Flam. Liq. 3, H226 Acute Tox. 4, H302 Skin Corr. 1B, H314 Acute Tox. 2, H330 Specific concentration limit: STOT SE 3, H335: $C \ge 5 \%$ Skin Irrit. 2, H315: $5 \% \le C < 25 \%$ Eye Irrit. 2, H319: $1 \% \le C < 5 \%$ Eye Dam. 1, H318: $5 \% \le C < 25 \%$ Skin Corr. 1B, H314: $C \ge 25 \%$	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air.

Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date Revision date

Version

1.0

Eye contact

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

Ingestion

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

01. October 2018

Inhalation

Inhaling dust can cause corrosion of the breathing system.

Skin contact

Causes skin irritation.

Eye contact

Causes serious eye damage.

Ingestion

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date Revision date 01. October 2018

Version

1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

- 7.3. Specific end use(s) not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	WEL	8 hours	2,5 mg/m ³		
acetic anhydride (CAS: 108-24-	WEL	15 minutes	10 mg/m ³		CDD
7)	WEL	8 hours	0,5 ppm		GBR
	WEL	15 minutes	2 ppm		

United Kingdom of Great Britain and Northern Ireland

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

· · · · · ·	
Appearance	paste
Physical state	solid at 20°C
color	not available
Odour	acrid
Odour threshold	data not available
рН	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	data not available
Flash point	data not available
Evaporation rate	non-applicable



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date 01. October 2018			
Revision date	Version	1.0	
Flammability (solid, gas)	data not available		
Upper/lower flammability or explosive limits			
flammability limits	data not available		
explosive limits	data not available		
Vapour pressure	data not available		
Vapour density	data not available		
Relative density	0.960		
Solubility(ies)			
solubility in water	brak danych rozpus	szczalny	
solubility in fats	not available		
Partition coefficient: n-octanol/water	data not available		
Auto-ignition temperature	data not available		
Decomposition temperature	data not available		
Viscosity	data not available		
Explosive properties	data not available		
Oxidising properties	data not available		
9.2. Other information			
Density	data not available		
ignition temperature	data not available		

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - not available
- **10.2.** Chemical stability
 - The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions
- Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

- **10.5.** Incompatible materials Protect against strong acids, bases and oxidizing agents.
- **10.6.** Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

acetic anhydride

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	630 mg/kg		Rat	
Inhalation	LC100	1670 mg/m ³		Rat	

Triacetoxyethylsilane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	1460 mg/kg		Rat	



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date Revision date 01. October 2018

Version

1.0

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

acetic anhydride

Parameter	Value	Time of exposure	Species	Environment
EC₅o	>1000 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
ECso	>1000 mg/l	72 hour	Algae (Skeletonema costatum)	
LC50	>1000 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue

Creation date Revision date 01. October 2018

Version

1.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 02 17 není v EN verzi

Packaging waste type code

12 01 03 non-ferrous metal filings and turnings

SECTION 14: Transport information

- 14.1. UN number
 - Not subject to ADR.
- **14.2.** UN proper shipping name not available
- 14.3. Transport hazard class(es) not available
- 14.4. Packing group not available
- 14.5. Environmental hazards not available
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

H226 Flammable liquid and vapour.	et
H302 Harmful if swallowed.	
H314 Causes severe skin burns and eye damag	e.
H315 Causes skin irritation.	



according to Regulation (EC) No 1907/2006 (REACH) as amended

I	Rubbers pads for remote controllers - glue
Creation date	01. October 2018
Revision date	Version 1.0
H318	Causes serious eye damage.
H330	Fatal if inhaled.
Guidelines for safe	e handling used in the safety data sheet
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P102	Keep out of reach of children.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
	I standard phrases used in the safety data sheet
EUH 014	Reacts violently with water.
	nformation about human health protection
The product must n	ot be - unless specifically approved by the manufacturer/importer - used for purposes other that
•	. The user is responsible for adherence to all related health protection regulations.
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and
	mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC₅o	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD 5 0	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
	Agreement on the damport of dangerous goods by run



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubbers pads for remote controllers - glue				
Creation date	01. October 2018			
Revision date		Version	1.0	
UN	Four-figure identification nu Regulations	mber of the substance or	article taken from the UN	Model
UVCB	Substances of unknown or v materials	variable composition, comp	plex reaction products or b	biological
VOC	Volatile organic compounds			
vPvB	Very Persistent and very Big	oaccumulative		
Acute Tox.	Acute toxicity			
Eye Dam.	Serious eye damage			
Flam. Liq.	Flammable liquid			
Skin Corr.	Skin corrosion			
Skin Irrit.	Skin irritation			

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.