

PRODUCT SPECIFICATION

EN#: 4711552170191

SS-331NB

Desoldering Station



Station and specifications:

- Output voltage (V): 18
- Equipment noise (dB): <75
- Soldering iron temperature controller: Key touching
- Pump/Motor type: Motor-driven pumps
- Vacuum controller: Key touching
- °C/°F Interchange: Yes
- Temperature setting: Digital setting
- Temperature calibration: Digital calibration
- Operation audible indication: Yes
- Connector: Male DIN 6 pin
- Tubing connector: Vacuum filter case
- Detachable power cord: Yes
- Power cord length (cm): 120
- Standard plug: B
- Fuse size (mm) ΦD×L: Φ5×L20 mm
- Fuse (A/V): 3.15A/250V

- Material of housing: ABS
- Color of housing: Black, Green
- Size (mm) L×W×H w/o accessories: 130x190x140mm
- Net weight (g) w/o accessories: 1300

Desoldering gun:

- Temperature range (°C): 160~480
- Temperature accuracy (\pm °C): 480±30
- Vacuum capacity (cm-Hg): 60
- Wake up: Yes
- Time to heat up to 160 °C : 25
- Time to heat up to 300 °C: 50
- Cord length (cm): 105
- Plug or Connector: Female DIN 6 pin
- Heating element: Ni-Cr Heater
- Heater voltage (V): DC18V
- Heater consumption (W): 150
- Heater resistance (Ω): 2.5±1
- Tubing length (cm): 105
- Tubing connector: Vacuum outlet cap
- Material of barrel: Stainless steel
- Nozzle-to-Ground resistance (Ω): <1
- Nozzle-to-Ground potential (V): <0.1

Soldering stand & Helping hands:

- Soldering holder and station independent/dependent: Independent
- Material of soldering holder: Iron
- Color of soldering holder: Black

Standard accessories:

- Manual: Chinese and English
- Nozzle (pcs): 3
- Material of nozzle: Copper

Product Weight (w/o package):

Weight(g)	Measurement		
	L(mm)	W(mm)	H(mm)
1300	130	190	140

Individual Packing

- Packing: Color Box

Master Packing:

	Pieces	N.W. (Kg)	G.W. (Kg)	Measurement			CUFT
				L(cm)	W(cm)	H(cm)	
Individual Packing	1	-	2	25	20	17	-
Inner Box	1	2	2.2	25	20	17	0.3
CTN	2	4.5	5	42	26	19	0.73