
Product datasheet

HALOPIN OVEN 40 W 230 V G9

HALOPIN OVEN | Halogen oven lamps

– Baking ovens



– Optimum halogen content for high temperatures Contains no mercury



Technical data

Electrical data

Nominal wattage	40.00 W
Nominal voltage	230.0 V
Rated wattage	40.00 W


Photometrical data

Nominal luminous flux	490 lm
Rated color temperature	2700 K
Light color (designation)	Warm White
Rated luminous flux	490 lm
Color rendering index Ra	100
Lumen main.fact.at end of nom.life time	0.80
Color temperature	2700 K
Luminous flux	490 lm

Light technical data

Starting time	0.0 s
---------------	-------

Dimensions & weight



Diameter	14.0 mm
Overall length	43.0 mm
Light center length (LCL)	22.0 mm
Length	43.0 mm
Outer bulb	T13,3
Product weight	2.80 g
Maximum diameter	14.0 mm

Product datasheet

Lifespan

Rated lamp life time	2000 h
Number of switching cycles	50000

Additional product data

Base (standard designation)	G9
Mercury content	0.0 mg
Mercury-free	Yes

Capabilities

Burning position	Any
Dimmable	Yes
Non-standard conditions	Oven

Certificates & standards

Energy efficiency class	D
Energy consumption	40 kWh/1000h

Country specific categorizations

ILCOS	HSGST/C/UB-40-230-G9-22
Order reference	66740 OVEN 40W

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321515759	HALOPIN OVEN 40 W 230 V G9	Shipping carton box 2592 Pieces Unpacked	495 mm x 395 mm x 195 mm	38.13 dm ³	10484.00 g
4008321703576	HALOPIN OVEN 40 W 230 V G9	Shipping carton box 20 Pieces Unpacked	144 mm x 55 mm x 118 mm	0.93 dm ³	118.00 g
4052899322233	HALOPIN OVEN 40 W 230 V G9	Shipping carton box 2880 Pieces Unpacked	495 mm x 395 mm x 195 mm	38.13 dm ³	9450.00 g
4058075221574	HALOPIN OVEN 40 W 230 V G9	Shipping carton box 2880 Pieces Unpacked	495 mm x 395 mm x 195 mm	38.13 dm ³	9450.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany