#### [Tiny but Mighty]

Ultra compact design with greatest compatibility.

Li-ion / IMR / INR / ICR: 10440 14500 14650 16340 17335 17500 17670 18350 18490 18500 18650 18700 22650 25500 26650 3.6V/3.7V





## [Easy-to-read Tiny Display]

Charging current, battery power and charging status are clearly showed.

## [Intelligent Recognition]

Automatically choose suitable charging current (0.5A or 1.0A) to maximize the battery lifespan.





# (Micro USB Charging Port)

#### **Charge Everywhere.**

Compatible with all 5V USB power including USB wall adaptors, cell phone chargers, solar panel, PC USB, power banks, etc.







computer

power li

power ban



# **(OV Activation Function)**

Recharge a "damaged" (Low voltage) battery.

Recondition and refresh old or over-discharged batteries.



# [ The Safest Charger with Longest Warranty ]

Safe, Durable and Peace of Mind.









CE, FCC, RoHS certified.

2 years warranty.

Extra-low safe input voltage.


Temperature monitoring.

Flame retardant material.

Reverse polarity and short circuit protection.

#### [ Battery Life Optimization Charging ]

Accurate cut-off, efficient charging and never over charge batteries.



#### (ANT MC1 Plus Specification)

Input	DC 5.0V/1000mA
0.5A Constant current	500mA
1.0A Constant current	1000mA
Cut-off Voltage	4.2V
Operation Temperature	0-40 °c

Net weight: 27g / Size: L92\*W27\*H26mm

