		SAFETY	DATA SHEET	ZL Termo Pas	
		according to Commission Re			
		Wywoływa	cz Uniwersalny		
	ion date	17th October 2022			
Revis	on date	03rd February 2023	Version	6.0	
SECT	ION 1: Identification	of the substance/mixture a	and of the company/ur	ndertaking	
1.1.	Product identifier		Wywoływacz Univ	wersalny	
	Substance / mixture		substance		
	Chemical name		disodium metasil	icate	
	CAS number		10213-79-3		
	EC (EINECS) number		229-912-9		
	Registration number		012119449811-37-XXXX		
1.2.	Relevant identified	uses of the substance or n	nixture and uses advise	ed against	
	Substance's intended use for photoresists				
	Substance uses adv	vised against			
	The product should no	ot be used in ways other then	those referred in Section	1.	
1.3.		ier of the safety data shee			
	 Distributor	•			
	Name or trade	name	AG TermoPasty (Grzegorz Gąsowski	
	Address		Kolejowa 33 E, S	5	
	/1001/000		Poland		
	Identification nu	umber (CRN)	200133730		
	VAT Reg No		PL9661767714		
	Phone		862741342		
	F-mail		biuro@termopast	av nl	
	Web address		www.termopasty		
		reconneible for the cafety	,	.61	
	Name	responsible for the safety o		Straggerz Cacowski	
	E-mail			Grzegorz Gąsowski	
1.4.	E-mail Emergency telepho	na numbar	biuro@termopast	.у.hı	
1.4.					
	European emergency	number: 112			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the substance in accordance with Regulation (EC) No 1272/2008 The substance is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

May be corrosive to metals. **Most serious adverse effects on human health and the environment** Causes severe skin burns and eye damage. May cause respiratory irritation.

2.2. Label elements



Signal word Danger



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny

	wywoływa	cz Uniwersalny	/			
Creation date	17th October 2022					
Revision date	03rd February 2023	Version	6.0			
Dangerous sub	stance					
disodium metasil	icate					
(EC: 229-912-9;	CAS: 10213-79-3)					
Hazard stateme	ents					
H290	May be corrosive t	May be corrosive to metals.				
H314	Causes severe skir	Causes severe skin burns and eye damage.				
H335	May cause respirat	May cause respiratory irritation.				
Precautionary s	statements					
P261	Avoid breathing du	ist.				
P262	Do not get in eyes	, on skin, or on clothing.				
P280	Wear protective gl	oves/protective clothing/	eye protection/face protection.			
P301+P330+P33	1 IF SWALLOWED: R	inse mouth. Do NOT indu	uce vomiting.			
P303+P361+P35	3 IF ON SKIN (or ha with water or show	· ·	all contaminated clothing. Rinse skin			
P305+P351+P33		cautiously with water for and easy to do. Continue	several minutes. Remove contact rinsing.			

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
	substance main component disodium metasilicate	100	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water/shower. Rinse cautiously with water for several minutes.



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny

Creation date	17th October 2022		
Revision date	03rd February 2023	Version	6.0

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

Causes severe skin burns.

If in eyes

4.3.

5.2.

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media**

Water - full jet.

Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny

Creation date	17th October 2022			
Revision date	03rd February 2023	Version	6.0	

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original container. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL

disodium metasilicate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Inhalation	1.55 mg/m ³	Chronic effects systemic		
Workers	Inhalation	6.22 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.74 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	1.49 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	0.74 mg/kg bw/day	Chronic effects systemic		

PNEC

disodium metasilicate

Route of exposure	Value	Value determination	Source
Drinking water	7.5 mg/l		
Marine water	1 mg/l		
Water (intermittent release)	7.5 mg/l		
Microorganisms in sewage treatment	1000 mg/l		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

		SAFETY DA	TA SHEET	AL TermoPas	
		according to Commission Regulat	ion (EU) 2020/878 as am		
		Wywoływacz			
Creati	on date	17th October 2022	-		
Revisi	on date	03rd February 2023	Version	6.0	
SECT	ION 9: Physical a	and chemical properties			
9.1.	Information o	n basic physical and chemical prope	rties		
	Physical state		solid		
	Colour Odour Melting point/freezing point Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Flash point Auto-ignition temperature		white		
			without fragrance		
			72 °C		
			data not available		
			non-inflammable		
			data not available		
			data not available		
			data not available		
	Decomposition 1	temperature	data not available		
	pН		>12 (1% solution)		
	Kinematic visco	sity	data not available		
	Solubility in wat	ter	soluble		
	Partition coeffici	ient n-octanol/water (log value)	data not available		
	Vapour pressure		data not available		
	Density and/or	relative density			
	Density		1,749 g/cm ³		
	Relative vapour		data not available		
	Particle characte	eristics	data not available		
	Form		powder		
9.2.	Other informa				
	Evaporation rate	e	non-applicable		

SECTION 10: Stability and reactivity 10.1. Reactivity

The substance is non-flammable.

- **10.2.** Chemical stability The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance. Acute toxicity

Acute toxicity Record on evailable date ti

Based on available data the classification criteria are not met. disodium metasilicate

Parameter	Value	Exposure time	Species	Sex
LD 50	1152-1349 mg/kg		Rat	
LC50	>2.06 mg/m ³		Rat	
LD50	>5000 mg/kg bw		Rat	
	LD50 LC50	LDso 1152-1349 mg/kg LCso >2.06 mg/m ³	LDso 1152-1349 mg/kg LCso >2.06 mg/m³	LDso 1152-1349 mg/kg Rat LCso >2.06 mg/m ³ Rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny

	vv y w O1 y w a	cz Uniweisaniy		
Creation date	17th October 2022			
Revision date	03rd February 2023	Version	6.0	
Serious eye o	damage/irritation			
Causes severe	skin burns and eye damage.			
Respiratory of	or skin sensitisation			
Based on avai	lable data the classification criteria a	re not met.		
Germ cell mu	Itagenicity			
Based on avai	lable data the classification criteria a	re not met.		
Carcinogenic	ity			
Based on avai	lable data the classification criteria a	re not met.		
Reproductive	e toxicity			
Based on avai	lable data the classification criteria a	re not met.		
Toxicity for s	pecific target organ - single expo	sure		
May cause res	piratory irritation.			
Toxicity for s	pecific target organ - repeated ex	xposure		
Based on avai	lable data the classification criteria a	re not met.		
Aspiration ha	azard			
Based on avai	lable data the classification criteria a	re not met.		
11.2. Information	on other hazards			

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

disodium metasilicate

Parameter	Value	Exposure time	Species	Environment
LC50	210 mg/l	96 hours	Fish (Branchydanio rerio)	
EC50	1700 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	207 mg/l	72 hours	Algae (Scenedesmus subspicatus)	

12.2. Persistence and degradability Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny

Creation date Revision date Version

6.0

Waste management legislation

17th October 2022 03rd February 2023

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

SECTI	ON 14: Transport information	
14.1.	UN number or ID number	
	UN 3253	
14.2.	UN proper shipping name	
	DISODIUM TRIOXOSILICATE	
14.3.	Transport hazard class(es)	
	8 Corrosive substances	
14.4.	Packing group	
	III - substances presenting low danger	
14.5.	Environmental hazards	
	not relevant	
14.6.	Special precautions for user	
	Reference in the Sections 4 to 8.	
14.7.	Maritime transport in bulk according to IMO	instruments
	not relevant	
	Additional information	
	Hazard identification No.	80
	UN number	3253
	Classification code	C6
	Safety signs	8
	, ,	念
		8
	Road transport - ADR	
	Limited quantities	5 kg
	Excepted quantities	E1
	Packaging	
	Packing instructions	P002, IBC08, LP02, R001
	Special packing provisions	B3
	Mixed packing provisions Portable tanks and bulk containers	MP10
		T1
	Guidelines	T1 TP33
	Special provisions ADR tank	1833
	ADR tank Tank code	SGAV
	Vehicles for tank carriage	AT
	Transport category	3
	Tunnel restriction code	(E)
	Special provision for	
	bulk	VV9
	Dulk	V V 2



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny Creation date 17th October 2022 Revision date 03rd February 2023 6.0 Version **Railway transport - RID** Excepted quantities E1 Packaging Packing instructions P002, IBC08, LP02, R001 Special packing provisions B3 Mixed packing provisions MP10 Portable tanks and bulk containers Guidelines Τ1 Special provisions TP33 **RID Tanks** SGAV Tank code Transport category 0 Special provision for VW 9 bulk Air transport - ICAO/IATA Y845 Packaging instructions for limited amount Packaging instructions passenger 860 Cargo packaging instructions 864 Marine transport - IMDG EmS (emergency plan) F-A, S-B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H335	May cause respiratory irritation.	
Guidelines for safe handling used in the safety data sheet		
P261	Avoid breathing dust.	
P262	Do not get in eyes, on skin, or on clothing.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Other important information about human health protection		
The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.		
Key to abbreviations and acronyms used in the safety data sheet		
ADR	European agreement concerning the international carriage of dangerous goods by	

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service



according to Commission Regulation (EU) 2020/878 as amended

Wywoływacz Uniwersalny Creation date 17th October 2022 03rd February 2023 Revision date Version 6.0 CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures FC Identification code for each substance listed in EINECS EC50 Concentration of a substance when it is affected 50% of the population European Inventory of Existing Commercial Chemical Substances EINECS Emergency plan FmS European Union FU EuPCS European Product Categorisation System IATA International Air Transport Association International Code For The Construction And Equipment of Ships Carrying IBC **Dangerous** Chemicals ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods IMO International Maritime Organization INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry LC 50 Lethal concentration of a substance in which it can be expected death of 50% of the population Lethal dose of a substance in which it can be expected death of 50% of the LD 50 population log Kow Octanol-water partition coefficient OEL **Occupational Exposure Limits** PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Agreement on the transport of dangerous goods by rail UN Four-figure identification number of the substance or article taken from the UN Model Regulations UVCB Substances of unknown or variable composition, complex reaction products or biological materials VOC Volatile organic compounds vPvB Very Persistent and very Bioaccumulative Met. Corr. Corrosive to metals Skin Corr. Skin corrosion STOT SE Specific target organ toxicity - single exposure **Training guidelines** Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from 17 October 2022. Changes were made in sections 1, 2, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.