



TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight



- ✓ CREE XM- L2 U2LED
- ✓ Maximum output 840Lm
- ✓ High efficiency constant current drive circuit
- ✓ Super long runtime 260h
- ✓ Use 1*17670/18650/18700 Li-ion battery
- ✓ Tail cap forward switch with DIY mode and memory mode
- ✓ Made from Type III hard-anodized aircraft-grade 6N01 aluminum alloy
- ✓ IPX8 waterproof (underwater 2m)
- ✓ DIY mode or memory mode

50,000 hours lifespan Cree XM-L U2 LED

Max output 820 lumens

Max Duration: 18Lm/180 hours (Tested by 1x 2200mAh 18650 battery)

OP textured reflector, throws beam over 175 meters

Constant current circuit - maintains constant brightness

Powered by 1 x 17670/18650/18700

140.5mm (Length) x 25.0mm (Diameter) x 35.0mm (Head)

125-gram weight

Made of durable aircraft-grade aluminum

Toughened ultra-clear glass lens with anti-reflective coating

Premium Type III hard-anodized anti-abrasive finish

Waterproof to IPX-8

Tactical tailcap switch with memory function

Anti-roll, slip-resistant body design

Creative design, with 5 Low10%, Mid40%, High100%, Strobe, SOS mode, can cancel or recover Mid, Low, Strobe, SOS mode at will.

Accessories included: Lanyard; holster; Body clip; standby Tactical ring; Two spare O ring circle.

Notice: The above-mentioned parameters tested in Lab are approximate and may vary between flashlight/charger, batteries and environments.

Specifications:



TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight

Specifications and Features:

ANSI	Illumination levels				
	Low	Mid	High	Strobe	SOS
Luminance	5Lm	320lm	840lm	840lm	840lm
Runtime	260h	5.5h	2.3h		
Beam Throw	200m				
Max Intensity	10000cd				
Impact Resistant	1.5m				
Waterproof	IPX8				
LED	CREE XM-L2 U2				
Crust Materials	6N01 aircraft grade aluminium alloy and premium type III hard-anodized anti-abrasive finish				
Working Voltage	2.75V~4.2V				
Battery	1 x 17670 / 18650 / 18700				
Switch	Tailcap switch				
Size	Ø35.0mm(Head dia) x Ø25.0mm(Body dia) x 140.5mm(Length)				
Net Weight	125g (Excluded battery)				
Additional Functions	DIY Mode, Memory function				
Package Contents	Flashlight Lanyard Holster Spare O-ring Spareswitch Switchcap Manual Warrantycard Package				
Optional Accessories	<input type="checkbox"/> Charger <input type="checkbox"/> Adaptor <input type="checkbox"/> Battery <input type="checkbox"/> Holster				




TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight

USA High Efficiency LED CREE XM-L2 U2 LED

Maximum output 840Lm
Smooth Reflector





TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight

Two versions for user to order

1. Five modes: High-Mid-Low-Strobe-SOS
2. DIY mode: user can retain or cancel: low/mid/strobe/SOS mode



High 840lm



Mid 320lm



Low 5lm



Beam throw: 200m
Max intensity: 10000cd



TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight



Use **17670/18650/18700** Li-ion Battery





TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight



Excellent heat dissipation

Extend the LED lifespan

Aluminium alloy, Type III hard-anodized anti-abrasive finish



TZ20 PLATOON XM-L2 U2

Tactical Series
Flashlight



IPX8 Waterproof
(Underwater 2m)